

Report 2D Diagrams

Date: Sep. 29, 2015

Project: **NM_GLR(SOBOLweighfunc)**

Design States: All Designs

Index

Diagram

Page

Design Variable / Run

1_Design_Variables dx_bulb / Run	5
1_Design_Variables dy_bulb / Run	5
1_Design_Variables dz_bulb / Run	6
1_Design_Variables BulbTangent_FP / Run	6
1_Design_Variables EntranceAngle / Run	7

Parameter / Run

6_GL_Rankine results Rt_V20 / Run	8
6_GL_Rankine results Rt_V25 / Run	8
6_GL_Rankine results Rw_V20 / Run	9
6_GL_Rankine results Rw_V25 / Run	9
6_GL_Rankine results w25 / Run	10
6_GL_Rankine results w50 / Run	10
6_GL_Rankine results w75 / Run	11

Parameter / Design Variable

6_GL_Rankine results Rt_V20 / 1_Design_Variables dx_bulb	12
6_GL_Rankine results Rt_V20 / 1_Design_Variables dy_bulb	12
6_GL_Rankine results Rt_V20 / 1_Design_Variables dz_bulb	13
6_GL_Rankine results Rt_V20 / 1_Design_Variables BulbTangent_FP	13
6_GL_Rankine results Rt_V20 / 1_Design_Variables EntranceAngle	14
6_GL_Rankine results Rt_V25 / 1_Design_Variables dx_bulb	14
6_GL_Rankine results Rt_V25 / 1_Design_Variables dy_bulb	15
6_GL_Rankine results Rt_V25 / 1_Design_Variables dz_bulb	15
6_GL_Rankine results Rt_V25 / 1_Design_Variables BulbTangent_FP	16
6_GL_Rankine results Rt_V25 / 1_Design_Variables EntranceAngle	16
6_GL_Rankine results Rw_V20 / 1_Design_Variables dx_bulb	17
6_GL_Rankine results Rw_V20 / 1_Design_Variables dy_bulb	17
6_GL_Rankine results Rw_V20 / 1_Design_Variables dz_bulb	18
6_GL_Rankine results Rw_V20 / 1_Design_Variables BulbTangent_FP	18

Diagram

Page

6_GL_Rankine results Rw_V20 /	
1_Design_Variables EntranceAngle	19
6_GL_Rankine results Rw_V25 /	
1_Design_Variables dx_bulb	19
6_GL_Rankine results Rw_V25 /	
1_Design_Variables dy_bulb	20
6_GL_Rankine results Rw_V25 /	
1_Design_Variables dz_bulb	20
6_GL_Rankine results Rw_V25 /	
1_Design_Variables BulbTangent_FP	21
6_GL_Rankine results Rw_V25 /	
1_Design_Variables EntranceAngle	21
6_GL_Rankine results w25 /	
1_Design_Variables dx_bulb	22
6_GL_Rankine results w25 /	
1_Design_Variables dy_bulb	22
6_GL_Rankine results w25 /	
1_Design_Variables dz_bulb	23
6_GL_Rankine results w25 /	
1_Design_Variables BulbTangent_FP	23
6_GL_Rankine results w25 /	
1_Design_Variables EntranceAngle	24
6_GL_Rankine results w50 /	
1_Design_Variables dx_bulb	24
6_GL_Rankine results w50 /	
1_Design_Variables dy_bulb	25
6_GL_Rankine results w50 /	
1_Design_Variables dz_bulb	25
6_GL_Rankine results w50 /	
1_Design_Variables BulbTangent_FP	26
6_GL_Rankine results w50 /	
1_Design_Variables EntranceAngle	26
6_GL_Rankine results w75 /	
1_Design_Variables dx_bulb	27
6_GL_Rankine results w75 /	
1_Design_Variables dy_bulb	27
6_GL_Rankine results w75 /	
1_Design_Variables dz_bulb	28
6_GL_Rankine results w75 /	
1_Design_Variables BulbTangent_FP	28
6_GL_Rankine results w75 /	
1_Design_Variables EntranceAngle	29

Parameter / Parameter

6_GL_Rankine results Rt_V20 /	
6_GL_Rankine results Rt_V25	30
6_GL_Rankine results Rt_V20 /	
6_GL_Rankine results Rw_V20	30
6_GL_Rankine results Rt_V20 /	
6_GL_Rankine results Rw_V25	31
6_GL_Rankine results Rt_V20 /	
6_GL_Rankine results w25	31
6_GL_Rankine results Rt_V20 /	
6_GL_Rankine results w50	32
6_GL_Rankine results Rt_V20 /	
6_GL_Rankine results w75	32


6_GL_Rankine results Rt_V25 /	
6_GL_Rankine results Rt_V20	33
6_GL_Rankine results Rt_V25 /	
6_GL_Rankine results Rw_V20	33
6_GL_Rankine results Rt_V25 /	
6_GL_Rankine results Rw_V25	34
6_GL_Rankine results Rt_V25 /	
6_GL_Rankine results w25	34
6_GL_Rankine results Rt_V25 /	
6_GL_Rankine results w50	35
6_GL_Rankine results Rt_V25 /	
6_GL_Rankine results w75	35
6_GL_Rankine results Rw_V20 /	
6_GL_Rankine results Rt_V20	36
6_GL_Rankine results Rw_V20 /	
6_GL_Rankine results Rt_V25	36
6_GL_Rankine results Rw_V20 /	
6_GL_Rankine results Rw_V25	37
6_GL_Rankine results Rw_V20 /	
6_GL_Rankine results w25	37
6_GL_Rankine results Rw_V20 /	
6_GL_Rankine results w50	38
6_GL_Rankine results Rw_V20 /	
6_GL_Rankine results w75	38
6_GL_Rankine results Rw_V25 /	
6_GL_Rankine results Rt_V20	39
6_GL_Rankine results Rw_V25 /	
6_GL_Rankine results Rt_V25	39
6_GL_Rankine results Rw_V25 /	
6_GL_Rankine results Rw_V20	40
6_GL_Rankine results Rw_V25 /	
6_GL_Rankine results w25	40
6_GL_Rankine results Rw_V25 /	
6_GL_Rankine results w50	41
6_GL_Rankine results Rw_V25 /	
6_GL_Rankine results w75	41
6_GL_Rankine results w25 /	
6_GL_Rankine results Rt_V20	42
6_GL_Rankine results w25 /	
6_GL_Rankine results Rt_V25	42
6_GL_Rankine results w25 /	
6_GL_Rankine results Rw_V20	43
6_GL_Rankine results w25 /	
6_GL_Rankine results Rw_V25	43
6_GL_Rankine results w25 /	
6_GL_Rankine results w50	44
6_GL_Rankine results w25 /	
6_GL_Rankine results w75	44
6_GL_Rankine results w50 /	
6_GL_Rankine results Rt_V20	45
6_GL_Rankine results w50 /	
6_GL_Rankine results Rt_V25	45
6_GL_Rankine results w50 /	
6_GL_Rankine results Rw_V20	46
6_GL_Rankine results w50 /	
6_GL_Rankine results Rw_V25	46

Diagram


Page

6_GL_Rankine results w50 /	
6_GL_Rankine results w25	47
6_GL_Rankine results w50 /	
6_GL_Rankine results w75	47
6_GL_Rankine results w75 /	
6_GL_Rankine results Rt_V20	48
6_GL_Rankine results w75 /	
6_GL_Rankine results Rt_V25	48
6_GL_Rankine results w75 /	
6_GL_Rankine results Rw_V20	49
6_GL_Rankine results w75 /	
6_GL_Rankine results Rw_V25	49
6_GL_Rankine results w75 /	
6_GL_Rankine results w25	50
6_GL_Rankine results w75 /	
6_GL_Rankine results w50	50


Design Variable |1_Design_Variables|dx_bulb
Run




Design Variable |1_Design_Variables|dy_bulb
Run






Design Variable |1_Design_Variables|dz_bulb
Run




Design Variable |1_Design_Variables|BulbTangent_FP
Run









Parameter |6_GL_Rankine|results|Rw_V20
Run




Parameter |6_GL_Rankine|results|Rw_V25
Run




Parameter |6_GL_Rankine|results|w25
Run




Parameter |6_GL_Rankine|results|w50
Run






Parameter |6_GL_Rankine|results|Rt_V20
Design Variable |1_Design_Variables|dx_bulb




Parameter |6_GL_Rankine|results|Rt_V20
Design Variable |1_Design_Variables|dy_bulb




Parameter |6_GL_Rankine|results|Rt_V20

Design Variable |1_Design_Variables|dz_bulb




Parameter |6_GL_Rankine|results|Rt_V20


Design Variable |1_Design_Variables|BulbTangent_FP




Parameter |6_GL_Rankine|results|Rt_V20
Design Variable |1_Design_Variables|EntranceAngle




Parameter |6_GL_Rankine|results|Rt_V25
Design Variable |1_Design_Variables|dx_bulb




Parameter |6_GL_Rankine|results|Rt_V25
Design Variable |1_Design_Variables|dy_bulb




Parameter |6_GL_Rankine|results|Rt_V25
Design Variable |1_Design_Variables|dz_bulb




Parameter |6_GL_Rankine|results|Rt_V25
Design Variable |1_Design_Variables|BulbTangent_FP




Parameter |6_GL_Rankine|results|Rt_V25
Design Variable |1_Design_Variables|EntranceAngle



Parameter |6_GL_Rankine|results|Rw_V20
Design Variable |1_Design_Variables|dx_bulb




Parameter |6_GL_Rankine|results|Rw_V20
Design Variable |1_Design_Variables|dy_bulb




Parameter |6_GL_Rankine|results|Rw_V20

Design Variable |1_Design_Variables|dz_bulb




Parameter |6_GL_Rankine|results|Rw_V20


Design Variable |1_Design_Variables|BulbTangent_FP




Parameter |6_GL_Rankine|results|Rw_V20
Design Variable |1_Design_Variables|EntranceAngle




Parameter |6_GL_Rankine|results|Rw_V25
Design Variable |1_Design_Variables|dx_bulb




Parameter |6_GL_Rankine|results|Rw_V25
Design Variable |1_Design_Variables|dy_bulb




Parameter |6_GL_Rankine|results|Rw_V25
Design Variable |1_Design_Variables|dz_bulb




Parameter |6_GL_Rankine|results|Rw_V25
Design Variable |1_Design_Variables|BulbTangent_FP




Parameter |6_GL_Rankine|results|Rw_V25
Design Variable |1_Design_Variables|EntranceAngle




Parameter |6_GL_Rankine|results|w25
Design Variable |1_Design_Variables|dx_bulb




Parameter |6_GL_Rankine|results|w25
Design Variable |1_Design_Variables|dy_bulb




Parameter |6_GL_Rankine|results|w25
Design Variable |1_Design_Variables|dz_bulb




Parameter |6_GL_Rankine|results|w25
Design Variable |1_Design_Variables|BulbTangent_FP




Parameter |6_GL_Rankine|results|w25
Design Variable |1_Design_Variables|EntranceAngle




Parameter |6_GL_Rankine|results|w50
Design Variable |1_Design_Variables|dx_bulb




Parameter |6_GL_Rankine|results|w50
Design Variable |1_Design_Variables|dy_bulb




Parameter |6_GL_Rankine|results|w50
Design Variable |1_Design_Variables|dz_bulb




Parameter |6_GL_Rankine|results|w50
Design Variable |1_Design_Variables|BulbTangent_FP




Parameter |6_GL_Rankine|results|w50
Design Variable |1_Design_Variables|EntranceAngle




Parameter |6_GL_Rankine|results|w75
Design Variable |1_Design_Variables|dx_bulb




Parameter |6_GL_Rankine|results|w75
Design Variable |1_Design_Variables|dy_bulb




Parameter |6_GL_Rankine|results|w75
Design Variable |1_Design_Variables|dz_bulb




Parameter |6_GL_Rankine|results|w75
Design Variable |1_Design_Variables|BulbTangent_FP







Parameter |6_GL_Rankine|results|Rt_V20
Parameter |6_GL_Rankine|results|Rt_V25




Parameter |6_GL_Rankine|results|Rt_V20
Parameter |6_GL_Rankine|results|Rw_V20




Parameter |6_GL_Rankine|results|Rt_V20
Parameter |6_GL_Rankine|results|Rw_V25




Parameter |6_GL_Rankine|results|Rt_V20
Parameter |6_GL_Rankine|results|w25




Parameter |6_GL_Rankine|results|Rt_V20
Parameter |6_GL_Rankine|results|w50




Parameter |6_GL_Rankine|results|Rt_V20
Parameter |6_GL_Rankine|results|w75




Parameter |6_GL_Rankine|results|Rt_V25
Parameter |6_GL_Rankine|results|Rt_V20




Parameter |6_GL_Rankine|results|Rt_V25
Parameter |6_GL_Rankine|results|Rw_V20




Parameter |6_GL_Rankine|results|Rt_V25
Parameter |6_GL_Rankine|results|Rw_V25




Parameter |6_GL_Rankine|results|Rt_V25
Parameter |6_GL_Rankine|results|w25




Parameter |6_GL_Rankine|results|Rt_V25
Parameter |6_GL_Rankine|results|w50




Parameter |6_GL_Rankine|results|Rt_V25
Parameter |6_GL_Rankine|results|w75




Parameter |6_GL_Rankine|results|Rw_V20
Parameter |6_GL_Rankine|results|Rt_V20




Parameter |6_GL_Rankine|results|Rw_V20
Parameter |6_GL_Rankine|results|Rt_V25




Parameter |6_GL_Rankine|results|Rw_V20
Parameter |6_GL_Rankine|results|Rw_V25




Parameter |6_GL_Rankine|results|Rw_V20
Parameter |6_GL_Rankine|results|w25




Parameter |6_GL_Rankine|results|Rw_V20
Parameter |6_GL_Rankine|results|w50




Parameter |6_GL_Rankine|results|Rw_V20
Parameter |6_GL_Rankine|results|w75




Parameter |6_GL_Rankine|results|Rw_V25
Parameter |6_GL_Rankine|results|Rt_V20




Parameter |6_GL_Rankine|results|Rw_V25
Parameter |6_GL_Rankine|results|Rt_V25




Parameter |6_GL_Rankine|results|Rw_V25
Parameter |6_GL_Rankine|results|Rw_V20




Parameter |6_GL_Rankine|results|Rw_V25
Parameter |6_GL_Rankine|results|w25




Parameter |6_GL_Rankine|results|Rw_V25
Parameter |6_GL_Rankine|results|w50




Parameter |6_GL_Rankine|results|Rw_V25
Parameter |6_GL_Rankine|results|w75




Parameter |6_GL_Rankine|results|w25
Parameter |6_GL_Rankine|results|Rt_V20




Parameter |6_GL_Rankine|results|w25
Parameter |6_GL_Rankine|results|Rt_V25




Parameter |6_GL_Rankine|results|w25
Parameter |6_GL_Rankine|results|Rw_V20




Parameter |6_GL_Rankine|results|w25
Parameter |6_GL_Rankine|results|Rw_V25




Parameter |6_GL_Rankine|results|w25
Parameter |6_GL_Rankine|results|w50




Parameter |6_GL_Rankine|results|w25
Parameter |6_GL_Rankine|results|w75




Parameter |6_GL_Rankine|results|w50
Parameter |6_GL_Rankine|results|Rt_V20




Parameter |6_GL_Rankine|results|w50
Parameter |6_GL_Rankine|results|Rt_V25




Parameter |6_GL_Rankine|results|w50
Parameter |6_GL_Rankine|results|Rw_V20




Parameter |6_GL_Rankine|results|w50
Parameter |6_GL_Rankine|results|Rw_V25




Parameter |6_GL_Rankine|results|w50
Parameter |6_GL_Rankine|results|w25




Parameter |6_GL_Rankine|results|w50
Parameter |6_GL_Rankine|results|w75




Parameter |6_GL_Rankine|results|w75
Parameter |6_GL_Rankine|results|Rt_V20




Parameter |6_GL_Rankine|results|w75
Parameter |6_GL_Rankine|results|Rt_V25




Parameter |6_GL_Rankine|results|w75
Parameter |6_GL_Rankine|results|Rw_V20



Parameter |6_GL_Rankine|results|w75
Parameter |6_GL_Rankine|results|Rw_V25



Parameter |6_GL_Rankine|results|w75
Parameter |6_GL_Rankine|results|w25



Parameter |6_GL_Rankine|results|w75
Parameter |6_GL_Rankine|results|w50

